



Certificate of Analysis

Powered by Confident Cannabis

Inesscents Aromatic Botanicals

Sample: 2210DBL0086.5111

Las Vegas, NV 89103
operations@inesscents.com
(541) 482-2799
Lic. #

METRC Sample:
Lot #: 262207

Strain: CBD Bath Fizz Forest Bathing 3.5oz
Ordered: 10/26/2022; Sampled: 10/28/2022; Completed: 11/02/2022

CBD Bath Fizz Forest Bathing 3.5oz

Topical, Bath Salts, CO2



Mycotoxins					Pass
Analyzed by 300.2 Elisa					
Mycotoxin	LOQ	Limit	Mass	Status	
	PPB	PPB	PPB		
Aflatoxins	4.0	20.0	<LOQ	Pass	
Ochratoxin A	2.0	20.0	<LOQ	Pass	

Notes: Mycotoxins were run by LCMSMS which is outside the scope of our ISO Accreditation.



Glen Marquez
Laboratory Director

Sherri Defreese
Quality Control



4439 Polaris Ave
Las Vegas, NV
(702) 728-5180
www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation. Pesticide LOQ=Instrument Limit of Quantitation. NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.